



# ORALITE®



## MILESTONE H-75 WITH BASE

### Description

Cylindrical milestone designed to provoke a deterrent effect while reinforcing security measures.

Made of co-polymer material composed of high quality polyethylene and E.V.A providing properties of flexibility, strength and durability against external agents thanks to its UV treatment

### Uses and Functions

On high-speed roads mainly clearing drivers the vision of divergent zones. You can mark any area with this milestone

- ✓ Identification: The H-75 milestones with polymeric base manufactured by JOPI are marked in the lower part the year and month of manufacture EN 12899-3:2007, CE and JOPI
- ✓ Retroreflective Material: The material used is **Oralite 5930M** level 3 high density white.
- ✓ Colors: The body of the milestone may be red, green, blue or yellow. (Other colors at the request of the customer)
- ✓ Anchorage Element: Clings to a polymer base properly fastened to the floor with 3 bolts and their corresponding studs

### Installation

The milestone with polymeric base lacks elements for its installation in the base making it faster to replace it.



# ORALITE®

## Technical Specifications

### MECHANICAL / STRUCTURAL

Measurements: H = 74'5 cm. Ø = 20 cm.

Base Measures: H = 57,5 mm Ø exterior = 273 mm Ø inside = 88 mm

Weight: 1350 gr. (+/- 10%)

Weight of the base: 1750 gr.

Material: Polyethylene and E.V.A. with reflective tape level III **Oralite 5930M**

Cold Fragility:  $2.8 \pm 0,7$  N

Vicat softening point: 88'5 °C

Fusion Point: 123 °C

## Pantone Colors

The colors belong to these pantones with U.V treatment

- ✓ Yellow P7405-C
- ✓ Green P336-C
- ✓ Red P7621-C
- ✓ Blue P2145-C



# ORALITE®

## Assembly Drawing

